



Leska

FISHING LINES

PRICELIST £ Sterling

No. 100

Leska FISHING LINES

Fishing is carried out since the beginning of mankind and the fishing sport exists since more than several hundred years.

So the angler always cared for a good quality and reliability of the fishing lines. In former times twisted horsehair of black and brown colour was used and white hair was used for bottom-fishing.

To-day the anglers make use of the world renowned LESKA-FISHING-LINES, a product fabricated on the base of polyamide. The modern angler prefers its approved qualities as follows:

LESKA-Brand distinguishes itself by a high resistance and stability. Leska-strings are equally gauged and smooth. The elastic fishing lines are advantageous for trolling or for violent striking fishes.

LESKA FISHING LINES do not rot, it is not necessary to dry them. The lines can be coiled wet. They are flexible and do not burst. The small absorption of water is favourable for the elasticity of the fishing lines in the water.

LESKA-FISHING-LINES guarantee a fast knot which does not undo. The reliability of the lines is proved by the well fitting knots.

LESKA-FISHING-LINES can be delivered in various colours and tints – rainbow, gentian, sky, pastel-blue, wine, hemp, nut-brown, jade, iceland-moss, agave, turkey-blue, uncoloured-transparent. Leska-Brand enjoys a great popularity in all continents.



Monofilament Polyamide Fishing Lines „Leska“-Brand

Ø		Breaking Strength		Price per spool of:			
mm	inch	kg	lbs	50 m	50 yds.	100 m	100 yds.
				sh	sh	sh	sh
0,15	.006	1,1	2,5	—/5	—/4	—/9	—/8
0,20	.008	1,8	4,0	—/6	—/5	—/10	—/9
0,22	.009	2,0	4,4	—/7	—/6	1/—	—/10
0,25	.010	2,4	5,3	—/8	—/7	1/2	1/—
0,30	.012	3,5	7,7	—/9	—/8	1/4	1/2
0,35	.014	4,3	9,5	—/9	—/9	1/6	1/4
0,40	.016	5,7	12,6	1/—	—/11	1/10	1/8
0,45	.018	7,0	15,4	1/2	1/1	2/2	1/11
0,50	.020	8,9	19,6	1/3	1/2	2/4	2/—
0,55	.022	10,5	23,1	1/5	1/4	2/7	2/4

Plasticspools connected, packed in display cartons, labled with „Leska“-Brand.

Ø		Breaking Strength		Price per spool of:			
mm	inch	kg	lbs	50 m	50 yds.	100 m	100 yds.
				sh	sh	sh	sh
0,60	.024	13,0	28,7	1/8	1/6	3/—	2/7
0,65	.026	16,5	36,4	1/10	1/8	3/6	3/1
0,70	.028	19,0	41,9	2/2	1/11	3/10	3/7
0,80	.032	25,0	55,1	2/9	2/5	4/9	4/3
0,90	.036	33,0	72,8	3/6	3/1	6/2	5/7
1,00	.040	38,0	83,8	3/10	3/6		
1,10	.043	43,0	94,8	4/5	4/—		
1,20	.047	52,0	114,6	5/3	4/10		
				25 m	25 yds.		
1,30	.051	57,0	125,7	2/10	2/6		
1,40	.055	68,0	149,9	3/4	3/1		


Plasticspools connected, packed in display cartons, labled with „Leska“-Brand.

Ø		Breaking Strength		Price per spool of:	
mm	inch	kg	lbs	1000 m sh	1000 yds. sh
0,15	.006	1,1	2,5	6/4	6/—
0,20	.008	1,8	4,0	7/7	7/4
0,22	.009	2,0	4,4	8/2	7/11
0,25	.010	2,4	5,3	8/9	8/4
0,30	.012	3,5	7,7	9/11	9/6
0,35	.014	4,3	9,5	13/10	13/6
0,40	.016	5,7	12,6	15/8	14/10
0,45	.018	7,0	15,4	18/—	17/—
0,50	.020	8,9	19,6	18/6	17/9
0,55	.022	10,5	23,1	21/3	20/—
0,60	.024	13,0	28,7	27/—	25/10
0,65	.026	16,5	36,4	30/2	27/7
0,70	.028	19,0	41,9	33/6	31/—
0,80	.032	25,0	55,1	43/—	39/6
0,90	.036	33,0	72,8	49/3	46/10

On plasticspools.

Ø		Breaking Strength		Price per spool of:	
mm	inch	kg	lbs	1000 m sh	1000 yds. sh
1,00	.040	38,0	83,8	60/3	56/7
1,10	.043	43,0	94,8	72/10	67/9
1,20	.047	52,0	114,6	84/2	77/4
1,30	.051	57,0	125,7	90/11	84/2
1,40	.055	68,0	149,9	111/2	103/—
1,50	.059	78,0	172,0	127/4	117/10
1,60	.063	85,0	187,4	139/3	127/2
1,70	.067	95,0	209,4	159/4	144/10
1,80	.071	105,0	231,5	177/4	162/9
1,90	.075	114,0	251,3	194/3	179/4
2,00	.079	124,0	273,4	217/9	202/—

On plasticspools.



Ø		Breaking Strength		Price per coil of:			
mm	inch	kg	lbs	50 m	50 yds.	100 m	100 yds.
				sh	sh	sh	sh
0,15	.006	1,1	2,5	—/4	—/3	—/8	—/7
0,20	.008	1,8	4,0	—/5	—/4	—/9	—/9
0,22	.009	2,0	4,4	—/6	—/5	—/11	—/10
0,25	.010	2,4	5,3	—/7	—/6	1/1	1/—
0,30	.012	3,5	7,7	—/7	—/6	1/2	1/—
0,35	.014	4,3	9,5	—/9	—/8	1/4	1/3
0,40	.016	5,7	12,6	—/10	—/9	1/8	1/7
0,45	.018	7,0	15,4	1/—	—/10	2/—	1/9
0,50	.020	8,9	19,6	1/1	1/—	2/2	1/11
0,55	.022	10,5	23,1	1/3	1/1	2/5	2/2
0,60	.024	13,0	28,7	1/4	1/2	2/7	2/4
0,65	.026	16,5	36,4	1/5	1/4	2/10	2/7
0,70	.028	19,0	41,9	1/7	1/5	3/1	2/10
0,80	.032	25,0	55,1	2/—	1/9	3/11	3/7
0,90	.036	33,0	72,8	2/7	2/4	5/2	4/8

Coils packed in cellophane envelope, 1,40 mm to 2,00 mm packed in cellophane paper, labeled with „Leska“-Brand.

Ø		Breaking Strength		Price per coil of:			
mm	inch	kg	lbs	50 m	50 yds.	100 m	100 yds.
				sh	sh	sh	sh
1,00	.040	38,0	83,8	3/1	2/10	6/4	5/9
1,10	.043	43,0	94,8	3/10	3/6	7/8	7/2
1,20	.047	52,0	114,6	4/3	3/10	8/7	7/9
1,30	.051	57,0	125,7	4/11	4/5	9/8	8/10
1,40	.055	68,0	149,9	5/3	4/11	10/8	9/8
1,50	.059	78,0	172,0	6/5	5/10	12/11	12/4
1,60	.063	85,0	187,4	7/2	6/5	14/3	12/11
1,70	.067	95,0	209,4	8/6	7/7	16/9	15/1
1,80	.071	105,0	231,5	9/2	8/3	18/3	16/5
1,90	.075	114,0	251,3	10/6	9/6	20/10	18/9
2,00	.079	124,0	273,4	11/5	10/3	22/10	20/7

Coils packed in cellophane envelope, 1,40 mm to 2,00 mm packed in cellophane paper, labeled with „Leska“-Brand.

Ø	Breaking Strength		Price per set of:				
	mm	inch	kg	lbs	4 x 25 m sh	4 x 25 yds. sh	5 x 40 m sh
0,15	.006	1,1	2,5	—/11	—/10	1/10	1/8
0,20	.008	1,8	4,0	1/1	—/11	2/2	1/11
0,22	.009	2,0	4,4	1/3	1/1	2/5	2/2
0,25	.010	2,4	5,3	1/4	1/2	2/7	2/4
0,30	.012	3,5	7,7	1/5	1/4	2/10	2/7
0,35	.014	4,3	9,5	1/8	1/7	3/6	3/1
0,40	.016	5,7	12,6	2/—	1/10	4/2	3/9
0,45	.018	7,0	15,4	2/5	2/2	4/9	4/3
0,50	.020	8,9	19,6	2/6	2/4	5/—	4/6
0,55	.022	10,5	23,1	2/3	2/5	5/4	4/10
0,60	.024	13,0	28,7	2/11	2/8	6/—	5/5
0,65	.026	16,5	36,4	3/3	2/11	6/7	6/—
0,70	.028	19,0	41,9	3/6	3/1	7/2	6/5
0,80	.032	25,0	55,1	4/2	3/10	8/7	7/9
0,90	.036	33,0	72,8	5/6	5/—	11/2	10/—

Coils of 4 x 25 meters or yards and 5 x 40 meters or yards connected packed in cellophane envelope, 1,40 mm to 2,00 mm packed in cellophane paper, labeled with „Leska“-Brand.

Ø	Breaking Strength		Price per set of:				
	mm	inch	kg	lbs	4 x 25 m sh	4 x 25 yds. sh	5 x 40 m sh
1,00	.040	38,0	83,8	6/8	6/—	13/6	12/1
1,10	.043	43,0	94,8	7/11	7/2	15/11	14/5
1,20	.047	52,0	114,6	9/—	8/2	10/1	16/5
1,30	.051	57,0	125,7	10/—	9/—	20/3	18/3
1,40	.055	68,0	149,9	11/—	10/—	22/3	20/2
1,50	.059	78,0	172,0	13/6	12/2	27/2	24/3
1,60	.063	85,0	187,4	14/8	13/4	29/11	27/8
1,70	.067	95,0	209,4	17/4	15/8	35/2	31/8
1,80	.071	105,0	231,5	19/—	17/1	38/7	34/11
1,90	.075	114,0	251,3	21/5	19/3	43/7	39/4
2,00	.079	124,0	273,4	23/10	21/5	48/1	43/3

Coils of 4 x 25 meters or yards and 5 x 40 meters or yards connected packed in cellophane envelope, 1,40 mm to 2,00 mm packed in cellophane paper, labeled with „Leska“-Brand.

mm	inch	Breaking Strength		Price per set of:	
		kg	lbs	10 x 40 m sh	10 x 40 yds. sh
0,15	.006	1,1	2,5	3/10	3/6
0,20	.008	1,8	4,0	4/2	3/10
0,22	.009	2,0	4,4	4/5	4/—
0,25	.010	2,4	5,3	4/8	4/2
0,30	.012	3,5	7,7	5/2	4/8
0,35	.014	4,3	9,5	6/—	5/7
0,40	.016	5,7	12,6	7/7	6/10
0,45	.018	7,0	15,4	8/6	7/8
0,50	.020	8,9	19,6	9/—	8/1
0,55	.022	10,5	23,1	9/9	8/9
0,60	.024	13,0	28,7	11/5	10/3
0,65	.026	16,5	36,4	12/7	11/4
0,70	.028	19,0	41,9	13/9	12/4
0,80	.032	25,0	55,1	16/10	15/1
0,90	.036	33,0	72,8	21/8	19/6

Coils of 10 x 40 meters or yards connected packed in cellophane envelope or cellophane paper, labeled with „Leska“-Brand.

mm	inch	Breaking Strength		Price per set of:	
		kg	lbs	10 x 40 m sh	10 x 40 yds. sh
1,00	.040	38,0	83,8	26/5	23/10
1,10	.043	43,0	94,8	31/7	28/5
1,20	.047	52,0	114,6	35/11	32/4
1,30	.051	57,0	125,7	40/—	36/—
1,40	.055	68,0	149,9	44/2	39/9
1,50	.059	78,0	172,0	53/11	48/5
1,60	.063	85,0	187,4	59/4	53/5
1,70	.067	95,0	209,4	69/10	62/11
1,80	.071	105,0	231,5	76/8	69/1
1,90	.075	114,0	251,3	86/10	78/1
2,00	.079	124,0	273,4	96/4	86/9

Coils of 10 x 40 meters or yards connected packed in cellophane envelope or cellophane paper, labeled with „Leska“-Brand.



lasts for ever

and

is safe!

713.10/21

